



F24 工業級 無線遙控器

耐用/高品質/業界第一/應用最廣

www.telecranetw.com.tw

 **TELECRANE**®

工業級無線天車遙控器

TELECRANE

F24系列無線天車遙控器

F24系列



F24-6S/D

F24-8S/D

F24-10S/D

F24-12S/D



- 6~12段單速/雙速操作按鈕
- 緊急暫停按鈕
- 可拔除式開機旋鈕

產品應用:

- 升降機
- 伐木機
- 農耕機
- 貨車尾門
- 橋式起重機
- 門式起重機

F24系列

產品特點:

- **超低電耗，兼具環保**
兩顆AA電池(三號電池)，能持續使用兩個月
- **隨插即用**
預接線標準接頭，安裝上更加方便
- **超耐用外殼**
玻璃纖維+尼龍材質，防摔耐用好幾年
- **微軟系統修改**
可透過微軟系統直接修改遙控器按鍵配置

產品規格:

ID識別碼		32位元(43億組)
漢明碼距離		≥ 4
發射功率		<10 mW
操作溫度		-30°C~+85°C
操作距離		可達100公尺
尺寸 重量	發射器	約: 186x61x51mm/255g
	接收器	約: 200x162x107mm/1220g
電源	發射器	2顆AA電池(三號電池)
	接收器	AC 24/48/110/220/380V & DC 12~24 V(供客戶選擇)

產品配件:



拷貝機



USB修改線



被動天線



電池充電器



F24 INDUSTRIAL RADIO REMOTE

RELIABLE / HIGH PERFORMANCE

www.telecranetw.com



TELECRANE®

TELECRANE

F24 SERIES REMOTE CONTROLLER



F24-6S/D

F24-8S/D

F24-10S/D

F24-12S/D

6~12 SINGLE/DOUBLE STEP PUSHBUTTONS
EMERGENCY STOP
REMOVABLE START KEY

APPLICATION

OVERHEAD CRANE
GANTRY CRANE
HOIST
FOREST WINCH
AGRICULTURE SECTOR
TRUCK TAILGATE

F24 SERIES

FEATURES

LOW POWER CONSUMPTION

2 AA Size Batteries last up to 2 months in regular operation.

PLUG AND PLAY

Pre-wiring standard cable making installation quick and easy.

ENCLOSURE DURABILITY

Nylon-Fiber made housing for extra shock resistant.

Windows Software

Programmable function setting through PC.

SPECIFICATION

ID Code	32 bit (4.3 billion)	
Hamming Distance	≥4	
Emission Power	< 10 mW	
Operating Temp.	-35°C ~ +80°C	
Operating Range	Up to 100 Meters	
Dimensions Weight	Transmitter	186x61x51mm/Apprx. 255g
	Receiver	200x162x107mm/Apprx.1220g
Power	Transmitter	2 pcs AA size batteries
	Receiver	AC 24/48/110/220/380V & DC 12~24 V (Selectable)

ACCESORIES



Copier



USB Cable



Passive
Antenna



Battery
Charger